July 1

10

15

20

25

A method of searching a database to find documents similar to a query document, comprising:

decomposing the query document into elements of different data types;

for one or more of the elements in a first data type, conducting a first data type similarity search to return match results from the database for the one or more elements in the first data type;

for one or more of the elements in a second data type, conducting a second data type similarity search to return match results from the database for the one or more elements in the first data type;

combining the match results from the first data type similarity search and the second data type similarity search to provide query document match results.

- 2. A method as claimed in claim 1, wherein one of the data types is representative of text.
 - 3. A method as claimed in claim 2, wherein a plurality of the data types are representative of text, separate data types of the plurality being representative of different functional blocks of text.
- 4. A method as claimed in any preceding claim, wherein one of the data types is representative of pictorial images.
- 5. A method as claimed in any preceding claim, wherein one of the data types is representative of graphical images.
- 6. A method as claimed in any preceding claim, wherein one of the data types is representative of the arrangement of other data types within the document.

Sub A1

Sulf At

7.

8.

0.

A method as claimed in any preceding claim, wherein the step of similarity searching to return match results is carried out, separately, for a plurality of elements having between them more than two data types.

A method as claimed in any preceding claim, where all features of a common data type in the document are treated as one element.

A method as claimed in any of claims 1 to 7, where spatially distinct features of a common data type in the document are treated as separate elements.

10

A method as claimed in any preceding claim, wherein elements are user selectable or deselectable for the step of similarity searching.

11. A method as claimed in any preceding claim, wherein the similarity searching results for separate elements are weighted before combination.

2 15

12. A method as claimed in claim 11, wherein said weighting is user selected.

20

13. A method as claimed in claim 11, wherein said weighting is attributed according to a determined significance of each relevant element in the document.

Cost A2 714.

25

A method of searching a database to find documents similar to a query document, comprising:

decomposing the query document into elements of different data types;

determining a layout element in a layout datatype from the spatial arrangement of the elements in the document;

30

for the layout element, conducting a layout similarity search to return match results from the database for the layout element.

- 15. A method as claimed in claim 14, wherein the layout similarity search involves searching against templates representative of different document types.
- A method as claimed in claim 14, wherein the elements include elements of separate data types representative of different functional blocks of text.

Godo AB

17. A method as claimed in claim 14 or claim 16, wherein the elements include elements of data types representative of images.